

**Collaborative Staging Codes****Urethra****C68.0****C68.0 Urethra**

**Note:** Transitional cell carcinoma of the prostatic ducts and prostatic urethra are to be coded to urethra (C68.0) according to this schema.

**Urethra****CS Tumor Size****SEE STANDARD TABLE****Urethra****CS Extension (Revised: 03/17/2004)**

**Note:** If Extension code is 00 or 05, Behavior Code must be 2. If Extension code is 10, Behavior Code must be 3.

Code	Description	TNM	SS77	SS2000
00	Carcinoma in situ, NOS	Tis	IS	IS
01	Carcinoma in situ, involvement of prostatic urethra	Tispu	IS	IS
02	Carcinoma in situ, involvement of prostatic ducts	Tispd	IS	IS
05	Noninvasive papillary, polypoid, or verrucous carcinoma <b>Note:</b> Code 05 does not apply to transitional cell carcinoma of prostatic urethra or prostatic ducts	Ta	IS	IS
10	Subepithelial connective tissue (lamina propria, submucosa) invaded	T1	L	L
20	Muscularis invaded	T2	L	L
30	Localized, NOS	T1	L	L
40	Corpus spongiosum Periurethral muscle (sphincter) Prostate	T2	RE	RE
60	Beyond the prostatic capsule Bladder neck Corpus cavernosum Vagina, anterior or NOS	T3	RE	RE
70	Other adjacent organs, including Bladder (excluding bladder neck) Seminal vesicle(s)	T4	D	D

80	Further contiguous extension	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

**Urethra****CS TS/Ext-Eval****SEE STANDARD TABLE**

**NOTE:** For this primary site code CS Tumor Size/Ext Eval on the basis of the CS Extension field only.

**Urethra****CS Lymph Nodes (Revised: 08/15/2006)**

**Note 1:** Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

**Note 2:** Measure the size of the metastasis in the lymph node to determine codes 10-30, not the size of the lymph node itself.

Code	Description	TNM	SS77	SS2000
00	No regional lymph node involvement	N0	NONE	NONE
10	Regional lymph nodes (including contralateral or bilateral nodes): Iliac, NOS: Common External Internal (hypogastric), NOS: Obturator Inguinal, NOS: Deep Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial (femoral) Pelvic, NOS Sacral, NOS Presacral Regional lymph node(s), NOS Single regional lymph node less than or equal to 2 cm	N1	RN	RN
20	Single regional lymph node greater than 2 - 5 cm OR multiple regional nodes, none greater than 5 cm	N2	RN	RN
30	Regional lymph node(s), at least one greater than 5 cm	N2	RN	RN

50	Regional lymph node(s), NOS (size and/or number not stated)	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	U	U

**Urethra****Reg LN Pos****SEE STANDARD TABLE****Urethra****Reg LN Exam****SEE STANDARD TABLE****Urethra****CS Mets at DX****SEE STANDARD TABLE**

**Collaborative Staging Codes****Paraurethral Gland, Overlapping Lesion of Urinary Organs, and Unspecified Urinary Organs  
C68.1, C68.8-C68.9**

C68.1 Paraurethral gland

C68.8 Overlapping lesion of urinary organs

C68.9 Urinary system, NOS

Note: AJCC does not define TNM staging for this site.

**Paraurethral Gland, Overlapping Lesion of Urinary Organs, and Unspecified Urinary Organs****CS Tumor Size****SEE STANDARD TABLE****Paraurethral Gland, Overlapping Lesion of Urinary Organs, and Unspecified Urinary Organs****CS Extension (Revised: 03/17/2004)**

**Note:** If CS Extension code is 00 or 05, Behavior code must be 2. If CS Extension code is 10, Behavior Code must be 3.

Code	Description	TNM	SS77	SS2000
00	Carcinoma in situ, NOS (See Note)	NA	IS	IS
05	Noninvasive papillary, polypoid, or verrucous carcinoma (See Note)	NA	IS	IS
10	Subepithelial connective tissue (lamina propria, submucosa) invaded (See Note)	NA	L	L
20	Muscularis invaded	NA	L	L
30	Localized, NOS	NA	L	L
40	Corpus spongiosum Periurethral muscle (sphincter) Prostate	NA	RE	RE
60	Beyond the prostatic capsule Bladder neck Corpus cavernosum Vagina, anterior or NOS	NA	RE	RE
70	Other adjacent organs, including Bladder (excluding bladder neck) Seminal vesicle(s)	NA	D	D
80	Further contiguous extension	NA	D	D

95	No evidence of primary tumor	NA	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	U	U

### Paraurethral Gland, Overlapping Lesion of Urinary Organs, and Unspecified Urinary Organs

#### CS TS/Ext-Eval (Revised: 03/17/2004)

Code	Description	Staging Basis
9	Not applicable for this site	NA

### Paraurethral Gland, Overlapping Lesion of Urinary Organs, and Unspecified Urinary Organs

#### CS Lymph Nodes (Revised: 08/15/2006)

**Note:** Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM	SS77	SS2000
00	No regional lymph node involvement	NA	NONE	NONE
10	Regional lymph nodes (including contralateral or bilateral nodes): Iliac, NOS: Common External Internal (hypogastric), NOS: Obturator Inguinal, NOS: Deep Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial (femoral) Pelvic, NOS Sacral, NOS Presacral Regional lymph node(s), NOS	NA	RN	RN
80	Lymph nodes, NOS	NA	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NA	U	U

**Paraurethral Gland, Overlapping Lesion of Urinary Organs, and Unspecified Urinary Organs**
**Reg LN Pos**
**SEE STANDARD TABLE**
**Paraurethral Gland, Overlapping Lesion of Urinary Organs, and Unspecified Urinary Organs**
**Reg LN Exam**
**SEE STANDARD TABLE**
**Paraurethral Gland, Overlapping Lesion of Urinary Organs, and Unspecified Urinary Organs**
**CS Mets at DX (Revised: 12/09/2003)**

Code	Description	TNM	SS77	SS2000
00	No; none	NA	NONE	NONE
10	Distant lymph node(s), NOS	NA	D	D
40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	NA	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	NA	D	D
99	Unknown if distant metastasis Cannot be assessed Not documented in patient record	NA	U	U

**Site Specific Surgery Codes****All Other Sites**

C142–C148, C170–C179, C239, C240–C249, C260–C269, C300–C301, C310–C319, C339, C379, C380–C388, C390–C399, C480–C488, C510–C519, C529, C570–C579, C589, C600–C609, C630–C639, **C680–C689**, C690–C699, C740–C749, C750–C759

(Except for M9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**Codes**

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
  - 11 Photodynamic therapy (PDT)
  - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
  - 13 Cryosurgery
  - 14 Laser

**No specimen sent to pathology from surgical events 10–14**

- 20 Local tumor excision, NOS
  - 26 Polypectomy
  - 27 Excisional biopsy

**Any combination of 20 or 26–27 WITH**

- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation

[**SEER Note:** Codes 21 to 24 above combine 20 local tumor excision, 26 Polypectomy or 27 Excisional biopsy with 21 PDT, 22 Electrocautery, 23 Cryosurgery, or 24 Laser ablation]

- 25 Laser excision

**Specimen sent to pathology from surgical events 20–27**

- 30 Simple/partial surgical removal of primary site
- 40 Total surgical removal of primary site; enucleation
  - 41 Total enucleation (for eye surgery only)
- 50 Surgery stated to be “debulking”

---

60     Radical surgery

Partial or total removal of the primary site WITH a resection in continuity (partial or total removal) with other organs

[**SEER Note:** In continuity with or “en bloc” means that all of the tissues were removed during the same procedure, but not necessarily in a single specimen]

90     Surgery, NOS

99     Unknown if surgery performed; death certificate ONLY